

Type of WWTP	Number of person [P.E.]	Daily wastewater flow [m <sup>3</sup> ]	Daily pollution load [kg BSK <sub>5</sub> /d]	Power input [W]	Tension [V]	Power consumption [kWh/d]	Weight [kg]	Dimension [m] free from ledge/ including ledge		
								Lenght	Widht	Height
TOPAS 5	5	0,75	0,30	60	230	1,44	280	1,00/1,04	1,04/1,14	2,315
TOPAS 8	8	1,20	0,48	80	230	1,92	380	1,50/1,60	1,04/1,14	2,315
TOPAS 10	10	1,50	0,60	100	230	2,40	420	2,00/2,10	1,04/1,14	2,315
TOPAS 15	15	2,25	0,90	120	230	2,88	520	2,50	1,04	2,315
TOPAS 20	20	3,00	1,20	150	230	3,60	840	2,16	1,50	2,430
TOPAS 30	30	4,50	1,80	240	230	5,76	980	2,16	2,00	2,430
TOPAS 40	40	6,00	2,40	300	230	7,20	1100	2,16	2,00	2,935
TOPAS 50	50	7,50	3,00	420	230	10,08	1470	3,16	2,00	2,935
TOPAS 75	75	11,25	4,50	1100	400	26,40	1860	4,16	2,00	2,935
TOPAS 100	100	15,00	6,00	1850	400	44,40	2850	3,16	4,30	2,935
TOPAS 125	125	18,75	7,50	1850	400	44,40	3480	4,16	4,30	2,935
TOPAS 150	150	22,50	9,00	2200	400	52,80	3880	5,16	4,30	2,935
TOPAS 200	200	30,00	12,00	1500	400	36,00	5150	3,16	8,90	2,935
TOPAS 250	250	37,50	15,00	1500	400	36,00	6200	4,16	8,90	2,935
TOPAS 300	300	45,00	18,00	2200	400	52,80	7000	5,16	8,90	2,935